

**AMENDMENT AND PRESENTATION OF CLAIMS**

Please replace all prior claims in the present application with the following claims.

1. (Currently Amended) A method, comprising:

~~making a request in a device for establishing determining to establish, at a device, a connection with a receiver using a telephone number,~~  
~~as a response to a failed attempt for establishing the connection, the device automatically starting, at the device, a multimedia messaging service (MMS) and activating a recording function of a sound clip ,~~  
~~recording determining to record a voice message as a sound clip of to be included as part of a multimedia message in a volatile random access memory of the device, and~~  
~~transmitting determining to transmit the created multimedia message to the receiver a voice mail box associated with the telephone number.~~

2. (Currently Amended) The method according to claim 1, wherein ~~an identifier is included in the multimedia message, by which includes an identifier to indicate that the multimedia message can be identified as created automatically is created~~ as a response to a failed attempt for establishing the connection.

3. (Currently Amended) The method according to claim 1, wherein ~~in addition to the voice message is recorded as the a sound clip of the multimedia message, and one or a combination of the following is attached in the multimedia message: text, picture, and video image.~~

4. (Currently Amended) The method according to claim 4 3, wherein the multimedia message containing the recorded sound clip is automatically transmitted to the receiver.

5. (Currently Amended) The method according to claim 4 3, wherein the multimedia message containing the recorded sound clip is transmitted to the receiver as a response to a confirmation of a message sending function.

6. (Previously Presented) The method according to claim 1, wherein the multimedia message is transmitted to a number to which the original request for establishing connection was made.

7. (Canceled)

8. (Currently Amended) A device, An apparatus comprising:

at least one processor; and

at least one memory including computer program code for one or more programs,

the at least one memory and the computer program code configured to, with the at least one processor, cause the apparatus to perform at least the following,

a control unit, arranged to make a request for establishing determining to establish a connection with a receiver using a telephone number, wherein said control unit is arranged to automatically

start a multimedia messaging service (MMS) and activate a recording function of a sound clip as a response to a failed attempt for establishing the connection,

a random access memory, arranged determine to record a voice message as a sound clip to be included as part of a multimedia message, and  
a transmitter, arranged determine to transmit the created multimedia message to the receiver a voice mail box associated with the telephone number.

9. (Currently Amended) The devicee apparatus according to claim 8, wherein the multimedia message includes an identifier indicating that the multimedia message was created automatically.

10. (Currently Amended) The devicee apparatus according to claim 8, wherein in addition to the sound clip, one or a combination of the following is attached to the multimedia message: text, picture, and video image.

11. (Currently Amended) The devicee apparatus according to claim 8, wherein the created multimedia message is transmitted automatically to a number of the receiver to which the original request for establishing the connection was made.

12. (Currently Amended) The devicee apparatus according to claim 8, wherein the created multimedia message is transmitted as a response to a confirmation of a multimedia message transmission function.

13. (Currently Amended) The devicee apparatus according to claim 8, wherein the multimedia message is transmitted to a number to which the original request for establishing the connection was made.

14. (Canceled)

15. (Canceled)

16. (Currently Amended) A ~~computer program product having program code stored on a readable medium for execution by a processor in a device, wherein the program code comprises non-transitory computer-readable storage medium carrying one or more sequences of one or more instructions which, when executed by one or more processors, cause an apparatus to at least perform the following steps:~~

~~instructions for making a request for establishing determining to establish a connection with a receiver using a telephone number,~~

~~instructions for automatically starting a multimedia messaging service (MMS) of the device and for activating a recording function of a sound clip automatically as a response to a failed attempt for establishing the connection,~~

~~instructions for recording determining to record a voice message as a sound clip of to be included as part of a multimedia message in a volatile random access memory of the device, and~~

~~instructions for transmitting determining to transmit the created multimedia message to the receiver a voice mail box associated with the telephone number.~~

17. (Currently Amended) A device[[,]] comprising:

means for ~~making a request for establishing determining to establish a connection with a receiver using a telephone number,~~

means for automatically starting a multimedia messaging service (MMS) of the device and for activating a recording function of a sound clip automatically as a response to a failed attempt for establishing the connection,

means for determining to record a voice message as a sound clip of to be included as part of a multimedia message in a volatile random access memory of the device, and

means for transmitting determining to transmit the created multimedia message to the receiver a voice mail box associated with the telephone number.

18. (New) The method according to claim 1, wherein the multimedia message is converted by a messaging server to a voice mail for delivery to the voice mail box.

19. (New) The method according to claim 1, wherein the multimedia message is forwarded to a web page associated with the receiver.

20. (New) The method according to claim 1, wherein the determination to transmit the multimedia message to the voice mail box is made after determining that the receiver is unable to receive the multimedia message.